

HYDROFLEX 10 SEPARATION SHEET  
OR OTHER APPROVED PROTECTION

APPROPRIATE SURFACING –  
HYDROGUARD, STONE/PAVER BALLAST,  
GARDEN ROOF

FLEX-FLASH UN

MONOLITHIC MEMBRANE 6125-FR

5/8" SECUROCK OR  
OTHER APPROVED SUBSTRATE BOARD

6" MIN.

HYDROFLEX 10 SEPARATION SHEET  
OR OTHER APPROVED PROTECTION

APPROPRIATE SURFACING –  
GARDEN ROOF, HYDROGUARD,  
STONE/PAVER BALLAST

FLEX-FLASH UN

MONOLITHIC MEMBRANE 6125-FR

1/2" SECUROCK OR  
OTHER APPR. SUB. BD.

6" MIN.

5/8" SECUROCK OR  
OTHER APPROVED SUBSTRATE BOARD

NOTES: REINFORCEMENT SHALL BE ONE SHEET EXTENDING A MINIMUM OF 6" BEYOND THE DRAIN FLANGE ON ALL SIDES AND SECURED IN CLAMPING RING AT DRAIN.

ALL DRAINS ARE REQUIRED TO HAVE FLASHING CLAMPING RING ASSEMBLIES.  
CONSULT SPECIFIC DRAIN MANUFACTURER FOR ADDL. ACCESSORIES (i.e., PERFORATED GRAVEL COLLARS, UNDERDECK CLAMPS FOR METAL DECKS, ETC.)



Monolithic  
Membrane  
6125-FR  
ROOFING SYSTEMS

AMERICAN HYDROTECH, INC.

TYPICAL DRAIN DETAILS

3"=1'-0"

R-8B